

DLyte 100I[®]




DLyte100I[®] series are the new patented machines for grinding and polishing Steel, Stainless-steel, Cobalt Chrome, Nickel, Titanium, Carbon Steel, Aluminium, Carbides and Precious Metals.

Machine patented and manufactured by **GPAINNOVA**



The use of Patented DryLyte Technology is a concession approved by DryLyte Company

DLYTE 100I TECHNICAL SPECIFICATIONS



MAIN DATA

Capacity (per cycle)	180 Ø x 80 mm (maximum volume centered to the axis)
Machine dimensions	950 x 1410 x 730 mm
Support dimensions	950 x 700 x 740 mm
Machine weight	217,5 (247.5 kg Cs Series)
Support weight	100 kg
Power	5 kW (single phase with industrial plug) Ⓢ
Voltage	220-240 V
Air pressure	4-5 bar (air connector: 8mmØ or 1/4' BSP')

Consumption of 40 l/min. The air quality must be 1.5.1* according to ISO 8573. (* Air quality required for a maintenance every 6 months (change of filters).

SERIES MODEL	MATERIALS	FREQUENCY
DLyte100I	For Steel, SS, CoCr, Nickel and Precious Metals	LF
DLyte100ITi	For Titanium	HF
DLyte100I+Ti	For Steel, SS, CoCr, Nickel, Titanium and Precious Metals	LF and HF
DLyte100ICs	For Carbon Steel	LF
DLyte100I+Cs	For Steel, SS, CoCr, Nickel, Precious Metals and Carbon Steel	LF
DLyte100I Ti+Cs	For Titanium and Carbon Steel	LF and HF
DLyte100I +Ti+Cs	For Steel, SS, CoCr, Nickel, Titanium, Precious Metals and Carbon Steel	LF and HF